SiveC – Siena vascular and endovascular Course Siena 9 – 10 settembre 2019 Rettorato Università di Siena

LUNEDI' 9 SETTEMBRE

PRE-CONGRESSUAL COURSE

MARTEDI 10 SETTEMBRE

8:30-10:00 CAROTIDI

- ACST 2-TRIALS
- MEDICAL TREATMENT
- DEBATE 1: CEA FOR ALL PATIENS AND CAS IN SELECTED CASES
- DEBATE 2 : CAS FOR ALL PATIENTS AND CEA IN SELECTED CASES
- CAROTID STENOSIS IN 2019 TO TREAT OR NOT TO TREAT?
- ROADSAVER
- C GUARD
- PREDILATE OR DILATE BEFORE CAS?

10:00-11:00 POPLITEAL ANEURYSM

- SFA THE IDEAL GRAFT FOR SURGICAL POPLITEA RECONSTRUCTION
- Comparison of posterior and medial approaches for popliteal artery aneurysms.
- Supera
- Viabahn
- POPLITEAL TRAUMA

11:30-13:30 COMPLEX AAA AND TAAA

- HyPOGASTRIC ANEURYSM
- ENDOLEAK TIPO 2
- LAPAROSCOPIC TREATMENT OF ENDOLEAK
- THE BEST COVERED FOR BRANCH AND FENESTRATIONS
- T BRANCH IN EMERGENCY
- AORTIC TEAM: RE
- LONG TERM RESULTS AFTER FEVAR AND BEVAR
- COMPEX EVAR: PATIENT BENEFIT OR A WASTE OF MONEY
- MEDICAL PREVENTION OF ENDOLEAK
- RELAZIONE THOMPSON A CX 2019 SU INNOVAZIONE EVAS IS A FAILED TEST?
- STEERABLE CATHETER, HOW TO SIMPLIFY COMPLEX PROCEDURES
- Inflammatory Response Modulation through a PPARγ Agonist during Surgically Induced Visceral Ischemia in an Animal Model.
- TRANSEALING EL TREATMENT

14:30-16:00 VENOUS

- IDEAL VENOUS STENT
- MS AND VENOUS STENOSIS
- RATIONAE PF VENOUS TREATMNET IN 2019
- CDT for Iliofemoral DVT Predictors of Outcome & How I do it?
- Simultaneous treatment of acute pulmonary embolism and deep venous thrombosis.
- Ultrasound-assisted, catheter-directed, low-dose thrombolysis for the treatment of acute intermediate-high risk pulmonary embolism.
- VARICOSE VEIN

16:30-18:30 CLI AND DIABETIC FOOT DOTTA

- VEIN ARTERIALIZATION IN NO OPTION CLI AND DF PATIENTS
- WHY AN INCREASING PROPORTION OF CFA LESION GET SETNTED
- ACTUALITY IN DRUG ELUTING TECHNOLOGY IN CLI AND DF
- SAFENA IN SITU
- MEDICAL TREATMENT IN CLI AND DF
- DRUG COATED TECHNOLOGY IN LONG INFRAPOPLITEAL OCCLUSION

MERCOLEDI 11 SETTEMBRE

09:00-10:30 NEW FRONTIERS IN VASCULAR SURGERY: ASCENDING AORTA AND AORTIC ARCH TREATMENTSOME MORE IN THORACIC AORTA TREATMENT

- LATE OPEN CONVERSION AFTER TEVAR IS MORE RISKY THAN PRIMARY SURGICAL TREATMENT?
- DOUBLE INNER BRANCH FOR ARCH TREATMENT
- Intimal re-layering technique for type A acute aortic dissection-reconstructing the intimal layer continuity to induce remodeling of the false channel.
- UNCONVENTIONAL ACCESS FOR ENDOVASCULAR TREATMENT OF AORTIC ARCH AND THORACIC AORTA
- MONITORING SYSTEMS OF COAGULATION DURING MAJOR VASCULAR SURGERY
- FROM PETTICOAT TO STABILISE CONCEPT: THE NEW WAY FOR TYPE B DISSECTION TREATMENT
- MY WORST NIGHTMARE IN AORTIC ARCH TREATMENT
- PERCUTANEOUS AXILLARY ARTERY ACCESS IS A SAFE WAY
- Assessment of geometrical remodelling of the aortic arch after hybrid treatment.

11:00-12:30 AORTO-ILIAC OCCLUSIONS

- Complexity of iliac occlusive disease, current treatment algorithm and treatment gaps
- LONG TERM RESULTS OF COMPLEX AORTO-ILIAC LESIONS

NEW DEVICES SESSION

MISCELLANEA

VIRTUAL REALITY